

POLYREY	3
At Your Service	4-5
Sanitized*	6-7
BICLE & WASHROOM	
Value the washroom areas	8-9
3 products, many applications	10-11
Compact Solid Grade Laminate - Reysipur®	12-13
4 sizes for more versatility - Reysipur®	14-15
High Pressure Laminate - Polyrey HPL®	16
Melamine Faced Board - Panoprey®	17
Signature Library & Signature Creation	18
0-0-0-0	
SECTORS	19-31
5500	
DESIGN	
Finishes	32-33
Colour chart	34-35
Full panels	36
Colour matches	37
Availability Table	38-39





`RFATIVE

Innovation at the heart of design

We work with external and in-house experts to create decorative products in line with current and future trends.

We design exclusive surface finishes in close collaboration with our suppliers.

We propose bold aesthetic concepts such as MONOCHROM or PREMIER.

We support you in your choices through inspiring presentation tools.



Reliable products, experts at your service

Our clients recommend our products for their quality and technical reliability*.

Over 60 years of expertise and formulation of our resins allows us to propose high quality, innovative

We deliver your orders on time.

We commit ourselves through our «My Expert» Service Charter.



RESPONSIBLE

A daily commitment to training, securing, protecting

Our experts can advise you on earning points in the framework of product certifications such as HQE, BREEAM, LEEDS, DGNB...

All our products are antibacterial as standard with no extra cost.

We provide life cycle analysis for all our products.

We commit daily to reducing our energy consumption and waste production.

All our Polyrey HPL® and Reysipur® products are 50 % PEFC certified; our Polyprey® products are 90% PEFC certified.

We also offer a large selection of HPL decors that are FSC Controlled Wood** certified, also sourced from sustainably managed forests.










^{*} Source: 2017 satisfaction survey.
** Upon request, depending on credits.

AT YOUR SERVICE

Polyrey is at your side at every stage of your project to ensure its success and save you time. Known for its product expertise, Polyrey is also committed to quality of service.

MYCXFCRT





The 4 pillars of excellence

A personalised service

Each of your projects is unique. This is why we support you at every stage through customised services.

Reliable and efficient service

Your project won't wait. We understand the importance of responsiveness: we commit to respecting deadlines.

A service for everyone, everywhere

All over the world, your project is in good hands. We assign you a dedicated contact who speaks your language and the requirements of your country.

Service by experts

Guaranteeing excellence in our support to you is essential. Our teams have sound expertise acquired on the field, through training and a culture of experience sharing.

^{*}If you have a specific question or if your request has a certain level of complexity, we commit to responding within a given time limit.



High Pressure Laminate Compact Solid Grade Laminate Melamine Faced Board

All Polyrey products benefit from a Sanitized** antibacterial treatment that eliminates 99,9% of the bacteria.

Thanks to the antibacterial Sanitized® hygiene function, Polyrey commits to a continual improvement in health and safety for its decorative solutions.

With higher standards than the ones required by the law, Polyrey also benefits from a partnership with Sanitized* AG, whose effectiveness has been proved and demonstrated in several industries.

The certificate released by Sanitized AG is renewed every year following laboratory tests. Rigorous testing ensures constant quality, which is also verified by our laboratory.



Integrated within the material in order to ensure antibacterial protection throughout its lifecycle, this biocidal additive does not influence the technical and aesthetic performances of our products.

It is a technological innovation that Polyrey has been able to implement thanks to an integrated manufacturing process, which includes the production of our own resins.

The silver ions encapsulated in glass balls are activated when entering into contact with humidity. They kill surface bacteria and block the cell division process, thus reducing bacteria proliferation.

The Ag+ ion-based Sanitized® treatment is a non-migratory inorganic solution that is not modified with time. Unlike synthetic and organic antimicrobial substances, such as triclosan, silver is a non-toxic molecule.

99,9 % bacteria eliminated

- Escherichia coli ATCC 8739
- Enterococcus hirae ATCC 8043
- Listeria monocytogenes ATCC 15313
- Staphylococcus aureus (MRSA) ATCC 33592
- Staphylococcus aureus ATCC 6538
- Salmonella enteritidis⁽¹⁾ ATCC 13076
- Mycobacterium smegmatis ATCC 19420



VALUE THE WASHROOM AREAS

of your interior fitting projects.



REYSIPUR® COMPACT SOLID GRADE LAMINATE

Waterproof & self-supporting material

The Compact Solid Grade Laminate Reysipur® is a dense self-supporting decorative panel with a black core offering high surface resistance to scratches, abrasion & impact.

Its high resistance to humidity allows the creation of fittings for all washroom areas (changing rooms, shower cubicles, toilets, locker rooms) and for all applications (cubicles, wall cladding and partitions, vanity units, lockers etc.)

POLYREY HPL®

 \bigcirc

HIGH PRESSURE LAMINATE

Hard wearing, resistant & versatile

Polyrey HPL® is a versatile product offering outstanding durability with high resistance against impact, abrasion and general surface wear. Its surface is impervious to water and maintains its integrity even in the most heavy duty applications.

Polyrey HPL® is readily available in larger sheet sizes specifically aimed at washroom and related applications offering the best optimisation and most cost-effective solutions.

PANOPREY®

MELAMINE FACED BOARD

Decorative & economical


Panoprey® Melamine Faced Board offers the most cost-effective solution for non-wet area applications. It is a self-supporting, moisture resistant board with a chipboard core with two decorative faces, which are impregnated with melamine resin.

For lower traffic environments, the Panoprey® offer is an efficient alternative that complements the range.




3 PRODUCTS, MANY APPLICATIONS

Cubicles



Furnishings



RFYSIPUR®

COMPACT SOLID GRADE LAMINATE



Hygienic







Antibacteria



Waterpro

Resistant to



Abrasion



Impact



Heat up to 180



Machinable throughou



Cracking



Chemical products



Scratche



Artificial light

Dense & multi-purpose material

Thick laminate panel with no edge treatment

- Ideal for use in heavy-duty environments, including damp environments
- Impact and wear resistant
- Stain resistant
- Quick and easy to clean (non-porous surface)
- Self-supporting material that is easy to apply (≥ 8mm)
- Ideal for engravings
- Decorative on both sides
- Fire retardant grade on request (≥ 6 mm) : B-s1, d0*
- Bendable (≤ 8 mm).

^{*} Excluding TOUCH finishes.



52
Decors



Optimised complementarity

Polyrey HPL®:

52

100% with decors in

Polyrey HPL®

Panoprey*: 42
decors

Sizes & thickness

SIZES:

FA: 366×151 cm • 260×205 cm

THICKNESS: 12.5 mm

Other thicknesses available upon request.

SIZES:

 $\begin{aligned} & \text{BRILLANT}: 307 \times 124 \text{ cm} \\ & \text{LINIMAT}: 307 \times 132 \text{ cm} \end{aligned}$

TOUCH: $215 \times 97 \text{ cm}$ • $305 \times 132 \text{ cm}$

THICKNESS: 12.5 mm

Other thicknesses available upon request.



Labels











The expert's advice

- Create an air flow to allow ventilation.
- Consider and allow for expansion of the product.
- Design wall coverings with or without a framework depending on the substrate.
- Please refer to the product maintenance sheet for specific recommendations for the TOUCH finish.

Certificates & technical data are available at www.polyrey.com

^{**} Touch finish benefits from inherent antibacterial properties and do not require the Sanitized® label.

REYSIPUR®


COMPACT SOLID GRADE LAMINATE

4 SIZES FOR MORE VERSATILITY

FA (satin)

SIZES: 366 × 151 cm • 260 × 205 cm

An optimised range in the FA (satin) finish for all your washroom area design.






BRILLANT, LINIMAT, TOUCH

SIZES : $307 \times 124 / 305 \times 132 / 307 \times 132 \text{ cm} \bullet 215 \times 97 \text{ cm}$


Finishes with character for doors, pilasters and back panels with a high-end result.



Optimisation suggestions

Standard Cubicle

260 × 205 cm



These panels can be positioned horizontally to create a partition, door and pilaster.


They safeguard privacy with a height >2m.



The horizontal woodgrain decors allow the design to be vertically set once the panel is turned.

Full Height Cubicle


260 × 205 cm



When positioned vertically, these sizes are suitable for most ceiling heights.

Standard Cubicle

366 × 151 cm



Two partitions can be made from this size.




This size is also recommended for making lockers.



Full Height Cubicle

 $307 \times 124 \, / \, 305 \times 132 \, / \, 307 \times 132 \, \text{cm}$



Two panels will cover all Premier applications (door, pilasters, overpanel and back panel)

For partitions, please refer to following sizes: 366×151 cm and 260×205 cm.

+

The Touch finish is also available in $215 \times 97 \, \mathrm{cm}$ for deep matt and anti-fingerprint cubicle fronts (door and pilaster).

Standard Cubicle

215 × 97 cm



HIGH PRESSURE LAMINATE



Decors

Finishes

Abrasion





Resistant to





Chemical products



Easy to clean

Hygienic



Scratches





Heat up to 180 °C



Artificial light

Hard-wearing, resistant & hygienic

Surfaces to be bonded to different substrates.

- Multi-purpose and robust surface suitable for use in very high-traffic environments
- Hard-wearing creations
- Impact and abrasion resistant
- Stain resistant

- Quick and easy to clean
- High resistance in heavy duty applications
- Non-porous, waterproof

Labels



Touch finishes and door application



Wall cladding









Sizes & thicknesses

SIZES:

FA: 307 x 124 cm • 307 x 132 cm • 366 x 151 cm • 432 x 166 cm

SURF: 307 x 132 cm • 412 x 151 cm

THICKNESS: 0.8 mm

SIZES:

 $BRILLANT: 307 \times 124$ cm LINIMAT: $307 \times 132 \text{ cm}$ TOUCH: 305 × 132 cm

THICKNESSES: 0.8 mm - 1 mm



^{*} Touch finish benefits from inherent antibacterial properties and do not require the Sanitized® label.

PANOPRFY®

MELAMINE FACED BOARD



Hygienic





Easy to clean

Antibacterial

Resistant to







Abrasion

Easy to machine

Mois







Cracking

Chemical products

Artificial light

Decorative & economical

Easy and ready to use

 Ideally suited for vertical and moderate horizontal use in low-traffic environments

Decors

Finishes

- Decorative on both sides
- Assorted ABS and melamine faced edging for a flawless finish (available from our partners: contact us)
- Low-emission substrate (E1)
- Moisture resistant

Labels











Sizes & thickness

SIZES:

 $\text{FA}: 280 \times 207 \text{ cm}$

THICKNESS: 19 mm

SIZES:

 $\textbf{BRILLANT-LINIMAT:280} \times \textbf{207} \ \textbf{cm}$

THICKNESS: 19 mm



SIGNATURE

Hygienic





Customise

your washroom project

Resistant to
















Chemical products

Scratches

Artificial light



COMPACT SOLID GRADE LAMINATE:

SIZES: 307 × 124 cm • 307 × 132 cm / **THICKNESS:** 12,5 mm

HIGH PRESSURE LAMINATE:

SIZES: $307 \times 124 \text{ cm} \cdot 307 \times 132 \text{ cm} / \text{THICKNESS}$: 0.8 mm - 1 mm



A library of decors at your disposal

Hundreds of creations available in different colours, regularly updated to keep up with trends.





Choose your Signature Library decor at www.polyrey.com



Order your free sample



Order your panels from one of our distribution partners



COMPACT SOLID GRADE LAMINATE:

SIZES: 215 × 97 cm • 307 × 124 cm • 307 × 132 cm / **THICKNESS:** 12,5 mm

HIGH PRESSURE LAMINATE: SIZES: $215 \times 97 \text{ cm} \cdot 245 \times 124 \text{ cm} \cdot 307 \times 124 \text{ cm} \cdot 307 \times 132 \text{ cm} / \text{THICKNESS}$: 0.8 mm - 1 mm



Create your own design and bring your very own project to life.



design





Send us your files at signature@polyrey.com





Receive a free prototype to finalise your choice






Order your panels from one of our distribution partners

Signature panels must not remain in constant contact with water or be exposed to high levels of humidity (≥ 80% HL). Examples.: shower cubicles, spa, swimming pool cubicles in humid environments.

SECTORS

Products suitable for all types of projects

Sports, Leisure, Education, Healthcare, Transport, Retail




SPORTS



HIGH RESISTANCE

Reysipur® Compact Solid Grade Laminate technical properties allows the furnishing of high-traffic environments.



The combination of woodgrain and plain colours guarantees an ambiance full of energy! It is ideal for fittings in sports facilities, where it adds a lively, colourful effect. The lined matt LINIMAT finish adds character and authenticity to woods.





Inspiration







LEISURE



WATERPROOF

Reysipur® Compact Solid Grade Laminate allows the creation of structures that are particularly suited to fittings in humid environments (swimming pools, camp sites, spas etc.)



Stunning in glossy plain colours, the double entry cubicle opens new perspectives. Interior fittings such as shelves or benches can be incorporated to provide a practical and technical global solution for leisure spaces.

Z016 BRILLANT - FA Zeste de Citron V109 BRILLANT - FA Vert Bali B119 BRILLANT - FA Bleu Turquoise N005 BRILLANT-FA Noir

Inspiration **Forest** C149 B116 Nature B086 B001

Ocean

B194

EDUCATION





CUSTOMISABLE


Signature Library decors can be co-ordinated with plain colours to enliven designs with a touch of fantasy.

Inspiration










Bright colours add liveliness and fantasy to teaching environments for young children. Signature Library offers a broad scope for creative freedom with its fun and colourful decors. Through combinations with woods and materials, spaces can be furnished with greater sobriety for higher education establishments.



HEALTHCARE





ANTIBACTERIAL

The Sanitized® treatment eliminates 99.9% of bacteria on the surface of our products. These antibacterial properties, alongside its easy cleaning, make the Cubicle & Washroom offer the ideal solution for the healthcare sector.




Delicate patterns combined with aquatic shades are a source of serenity and optimism. All together they allow the creation of bright spaces ideal for healthcare environments.



Inspiration







TRANSPORT



WALL CLADDING


Reysipur® Compact Solid Grade Laminate can be used for wall cladding from 6 mm.

Inspiration










Materials decors can be widely used in the most high-end projects. Used as wall cladding, Travertin plays the card of sophistication.




RETAIL





HIGH PERFORMANCE

The TOUCH finish combines exceptional surface properties : anti-fingerprint technology, high scratch resistance, high impact resistance, micro-scratches can be repaired. Touch is available in High Pressure Laminate and Compact Solid Grade Laminate.




For full-height cubicles, the deep matt rendering of the TOUCH finish combined with an elegantly drawn marble pattern adds charisma and sobriety to washroom areas in high-end establishments.



FINISHES

FA - SURF

2Essential finishes for simple, understated projects.








3

Ultra-contemporary finishes for high-end results.

BRILLANT - LINIMAT - TOUCH





A surface with a silky smooth effect and a deep matt finish that absorbs light.



TOUCH, a finish with anti-fingerprint technology.



Brillant BRIHG

A varnished effect for brightness that enhances the intensity of plain colours.



Linimat LIM

A lined and matt surface finish that adds character and a contemporary feel to the different varieties of wood.


CUBICLE & WASHROOM

COLOUR CHART

52 Decors



WASHROOM DECOR COMPLEMENTARITY







All decors and finishes of the Cubicle and Washroom product range are mentioned in the colour chart here above. To confirm product / decor / finish combinations, please refer to the availability table on pages 38-39.

A printed reproduction may differ from the actual product, please don't hesitate to request a sample before finalising your choice.

730

M003 FA - SURF

Maryland Foncé



M134 FA

Marbre Siroco

M001 FA - SURF

Maryland Clair

M124 FA

Marbre Taisa

T108 FA

Travertin Naturel



FULL PANELS

WOODS



B100 Banian Blanchi



B101 Banian Noirci



C101 Chêne Brun Horizontal



C102 Chêne Clair Horizontal



C149 Chêne Colorado



C180 Chêne Alba



C183 Chêne d'Argent



E104 Érable Féroé Horizontal



N026 Noyer Ombré



N056 Noisetier Naturel



N115 Noyer Havana Horizontal



T105 Teck Carbone

MATERIALS



M001 Maryland Clair



M003 Maryland Foncé



M124 Marbre Taisa



M134 Marbre Siroco



T108 Travertin Naturel



The direction of the decor can be reversed according to your choice of optimisation. More information on page 15.

A printed reproduction may differ from the actual product, please don't hesitate to request a sample before finalising your choice.

COLOUR MATCHES

Code	Decor	PANTONE	RAL	NCS	BS
B001	Bleu Flash	300 C	5015	S 2065-R90B	20 E 53 (D)
B015	Blanc Menuires	9064 C	9016	S 0502-G50Y	00 E 55
B048	Bleu Oslo	644 C	-	S 1030-R80B	20 D 41 (D)
B070	Blanc Megève	9064 C	9016	S 0502-G50Y	10 A 01
B086	Bleu Caraïbes	7687 C	5002	S 4050-R80B	-
B116	Beige Nature	9223 C	-	S 2005-Y50R	-
B119	Bleu Turquoise	631 C	-	S 1050-B10G	18 E 51 (D)
B194	Bleu Buée	621 C	-	S 1005-B20G	18 E 49
C017	Coquille d'Œuf	9180 C	1015 (D)	S 0907-Y30R	08 C 31
C018	Chardon	535 C	5023	S 4030-R90B	20 C 37 (L)
C049	Cactus	368 C	-	S 1070-G40Y	-
C062	Capucine	7626 C	-	S 1080-Y90R	04 E 53
C189	Cyclamen	255 C	4008	S 4050-R400B	24 E 56
G003	Gris Perle	421 C	7040	S 3005-R80B	18 B 19 (L)
G029	Gris Tourterelle	427 C	7035	S 1502-B	-
G031	Genêt	143 C	1003	S 0560-Y20R	-
G059	Gris Orage	7540 C	7024	S 7502-B	00 A 13 (L)
G075	Gris Cendré	415 C	7004	S 4502-B	00 A 07
M047	Mousse	624 C	-	S 3020-B70G	16 C 35 (L)
N005	Noir	Black C	9005	S 9000-N	00 E 53
0111	Orgeat	9064 C	9010	S 0502-G500Y	00 E 55
P001	Pierre de Lune	7531 C	7006 (D)	S 5005-Y20R	08 B 23 (D)
P092	Pomme Verte	583 C	-	S 1060-G60Y	12 E 51
R036	Rouge Cerise	187 C	3001	S 2570-Y90R	-
R057	Rouge Amarante	1817 C	3009	S 6030-Y90R	473
R059	Rose Indien	702 C	3017	S 1070-R-10B	02 E 53
V014	Vinyle	1575 C	2011 (D)	S1060-Y50R	06 E 51 (L)
V109	Vert Bali	7738 C	6018	S 2060-G20Y	-
V110	Vert Impérial	341 C	6024	S 3060-G	262
Z016	Zeste de Citron	102 C	1016	S 0560-G90Y	-

			TOUCH		
Code	Decor	PANTONE	RAL	NCS	BS
B070	Blanc Megève	-	9016	S 0500 - N	00 E 55
B116	Beige Nature	9163 C	-	S 1505 - Y50R	08 B 17
G075	Gris Cendré	Cool gray 7C	7004	S 4000 - N	00 A 07
N005	Noir	Black 7 C	7021	S 8500 N	18 A 14

To facilitate co-ordination of our plain colour decors with other decorative materials, you will find the NCS® - RAL® - BS® - Pantone® matches for each colour in this table. The NCS® - RAL® - BS® - Pantone® codes are given on an indicative basis.

For the RAL® - BS® colour chart, Polyrey decors may vary:
L = light
D = dark



Express samples

We recommend checking the targeted colour with a real sample.

AVAILABILITY TABLE

		GRADE		Postforming (except BRILLANT - TOUCH)				
		SIZES (cm)		307 × 124	FA - SURF - LINIMAT : 307 × 132 TOUCH : 305 × 132	366 × 151	412 × 151	432 × 16
		THICHNESS	(mm)		0,8 - BRI	LLANT: 1 mm		
	Codo	Decor				Finishee	_	_
	Code B001	Bleu Flash		FA	'	Finishes FA		FA
COLOURS	B015	Blanc Menuires		FA		FA		FA
	B048	Bleu Oslo		FA		FA		FA
	B070	Blanc Megève	(2	FA - BRILLANT	TOUCH	FA		FA
	B086	Bleu Caraïbes		FA		FA		FA
	B116	Beige Nature	9	FA - BRILLANT	TOUCH	FA		FA
	B119	Bleu Turquoise	9	FA - BRILLANT		FA		FA
	B194	Bleu Buée		FA		FA		FA
	C011	Caviar			SURF		SURF	
	C017	Coquille d'Œuf		FA		FA		FA
	C018	Chardon		FA		FA		FA
	C049	Cactus		FA		FA		FA
	C062	Capucine		FA		FA		FA
	C189	Cyclamen		FA - BRILLANT		FA		FA
	G003	Gris Perle		FA		FA		FA
	G029	Gris Tourterelle		FA		FA		FA
	G031	Genêt		FA		FA		FA
	G059	Gris Orage		FA		FA		FA
	G075	Gris Cendré		FA - BRILLANT	TOUCH	FA		FA
	M047	Mousse		FA		FA		FA
	N005	Noir		FA - BRILLANT	TOUCH	FA		FA
	N023	Nova Saphir			SURF		SURF	
	N028	Nova Mousse			SURF		SURF	
	0111	Orgeat		FA		FA		FA
	P001	Pierre de Lune	(2	FA - BRILLANT		FA		FA
	P092	Pomme Verte	2	FA - BRILLANT		FA		FA
	R036	Rouge Cerise	(2	FA - BRILLANT		FA		FA
	R057	Rouge Amarante		FA		FA		FA
	R059	Rose Indien	0	FA - BRILLANT		FA		FA
	V014	Vinyle	_	FA		FA		FA
	V109	Vert Bali	0	FA - BRILLANT		FA		FA
	V110	Vert Impérial		FA		FA		FA
	Z016	Zeste de Citron	2	FA - BRILLANT		FA		FA
	Z022	Zeste Coco		FA		FA		FA
	Z038	Zeste Indigo		FA		FA		FA
WOODS	B100	Banian Blanchi			FA			FA
	B101	Banian Noirci			FA FA			FA
	C101	Chêne Brun Horizontal			FA EA			FA
	C102	Chêne Clair Horizontal Chêne Colorado	(A		FA FA - LINIMAT			FA FA
	C149 C180	Chêne Alba	(2 (2		FA - LINIMAT			FA
	C183	Chêne d'Argent	(2		FA - LINIMAT			FA
	E104	Érable Féroé Horizontal						FA
	N026	Noyer Ombré			FA FA			FA
	N056	Noisetier Naturel			FA			FA
	N115	Noyer Havana Horizontal			FA FA			FA
	T105	Teck Carbone	(2		FA - LINIMAT			FA
	M001	Maryland Clair	<u>ان</u>		SURF		SURF	1.0
//ATERIALS	M003	Maryland Foncé			SURF		SURF	
	M124	Marbre Taisa			FA		55	FA
	M134	Marbre Siroco			FA			FA
	T108	Travertin Naturel			FA			FA

POLYREY HPL® HIGH PRESSURE LAMINATE

REYSIPUR® COMPACT SOLID GRADE Standard (black core) BRILLANT: 307 x 124 TOUCH: 305 x 132 LINIMAT: 307x132

PANOPREY® MELAMINE FACED BOARD

Moisture Resistant

280 × 207

2.5	

12,5 mm				
		Finishes		
	FA		FA	
	FA		FA	
	FA		FA	
TOUCH	FA	TOUCH - BRILLANT	FA	
100011	FA	TOOOTT BRILEFILT	FA	
TOUCH	FA	TOUCH - BRILLANT	FA	
100011	FA	BRILLANT	FA	
	FA	BIGLEZART	FA	
	FA		FA	
	FA	BRILLANT	FA	
	FA	DIVILLANT	FA	
	FA		FA	
	FA FA		FA FA	
	FA FA		FA FA	
TOUCH	FA	TOUCH - BRILLANT	FA	
TOUCH	FA FA	TOUCH - BRILLANT	FA	
TOUGH	FA FA	TOUCH - BRILLANT	FA FA	
TOUCH		TOUCH - BRILLANT		
	FA		FA	
	FA		FA	
	FA		FA	
	FA	BRILLANT	FA	
	FA	BRILLANT	FA	
	FA	BRILLANT	FA	
	FA	DDULANT	FA	
	FA	BRILLANT	FA FA	
	FA FA	BRILLANT	FA FA	
	FA	DRILLAINI	FA	
		DDILLANT		
	FA FA	BRILLANT	FA FA	
	FA FA		FA FA	
	FA FA			
			FA FA	
	FA FA		FA FA	
	FA FA	LINIMAT	FA FA	
	FA FA	LINIMAT	FA FA	
	FA FA	LINIMAT	FA FA	
	FA FA	LIMINA	FA FA	
	FA FA		FA FA	
	FA FA		FA FA	
	FA		FA	
	FA FA	LINIMAT	FA FA	
	FA FA	LIMIMAI	FA FA	
	FA FA		FA FA	
	FA FA		FA FA	
	FA FA		FA FA	
	FA		FA	

19 mm	
Finishes	LRV*
FA	0,11
FA	0,84
FA	0,52
FA - BRILLANT	0,81
FA	0,09
FA - BRILLANT	0,51
	0,34
	0,73
FA	0,09
FA	0,60
	0,20
FA	0,33
FA	0,17
FA	0,10
FA	0,40
FA	0,55
FA	0,57
FA	0,09
FA - BRILLANT	0,32
FA	0,35
FA - BRILLANT	0,06
FA	0,26
FA	0,36
FA	0,79
FA	0,19
FA	0,50
FA	0,12
	0,10
	0,24
FA	0,35
FA	0,33
FA	0,20
	0,63
	0,69
	0,51
FA	0,37
FA	0,10
FA	0,16
FA	0,53
FA - LINIMAT	0,19
FA - LINIMAT	0,48
FA - LINIMAT	0,42
FA	0,61
FA	0,15
FA	0,32
FA	0,10
FA - LINIMAT	0,10
FA	0,50
FA	0,47
	0,54
FA	0,13

0,29

To confirm aesthetics of our products, we recommend checking the targeted colour with a real sample.

For BRILLANT finishes, the final result may differ slightly between HPL and compact HPL. Ask for a sample in compact HPL Reysipur® to validate the end aesthetic of your product.



Express samples

^{*} LRV: Light Reflectance Value

CUBICLE & WASHROOM

UK

Polyrey 9-29 Rixon

9-29 Rixon Road Wellingborough Northamptonshire, NN8 4BA United Kingdom

To receive samples Tel.: +44 (0) 1923 202700 polyrey.uk@polyrey.com

Samples requested before 3pm are dispatched for free on the same day. We will do everything possible to ensure that you receive your samples within 48 hours.

www.polyrey.com

Uniclass L664:D94 CI/SfB Rn8





